

SDS Revision Date: 04/01/2015

SAFETY DATA SHEET

ADDITIVE SOLUTIONS	3D3 Nevision Date. 04/01/2013		
SECTION 1	IDENTIFICATION		
Company Name	SMS Additive Solutions, LLC 24 HOUR EMERGENCY NUMBER/CHEMTREC (USA		
Address	25 Roland Avenue	1-800-424-9300	
City, State, Zipcode	Mount Laurel, NJ 08054		
Phone Numbers	856-266-9440	Poison Control Center (USA)	
Website	www.smsadditivesolutions.com	1-800-222-1212	
Product Identity	SMS Foam Marker		
Reference/Item Number	SMSFM01		
Intended Use	Foam Marker		
Application Method	See technical data sheet.		
SECTION 2	HAZARD(S) IDENTIFICATION		
	Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:		
	[EYE IRRITANT 2]:	HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)	
H319:	Causes serious eye irritation.		
	[ACUTE TOX 5]:		
H313:	May be harmful in contact with skin.		
	[SKIN IRRITANT 2]:		
H315:	Causes skin irritation.		
	[COMBUSTIBLE LIQUID]:	WARNING	
H227:	Combustible liquid.		
	[PREVENTION]:	~	
P264:	Wash thoroughly after handling.		
P280:	Wear protective gloves/eye/face protection.		
P210:	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
	[RESPONSE]:		
P302+352:	If on skin, wash with plenty of soap and water.		
P305+351+338:	If in eyes, rinse continuously with water for several minutes. Remove contact	t lenses if present and easy to do; continue rinsing.	
P332+313:	If skin irritation occurs, get medical advice/attention.		
P337+313:	If eye irritation occurs, get medical advice/attention.		
P361+362: P370+376:	Remove/take off immediately all contaminated clothing and wash before reus In case of fire, stop leak if safe to do so.	56.	
P403+235:	[STORAGE]:		
P233:	Store in a well-ventilated space. Keep cool. Keep container tightly closed.		
P501:	[DISPOSAL]: Dispose of contents/container in accordance with local/national regulations.		
SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as confidential business information.		
SECTION 5			
	Ingredient/Chemical Designations Weight % CAS N	· · ·	
	Proprietary blend of surfactants, coupling agents and solvent 100 Proprieta	ary Eye Irrit 2; H319 / Skin Irrit 2; H315 / Acute Tox 5; H313 / Combustible Liq; H227 [1]	
	[1] Substance classified with a health or environmental hazard.		
	[2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance.		
	H313: May be harmful in contact with skin.		
	H315: Causes skin irritation. H319: Causes serious eye irritation.		
	H227: Combustible Liquid		

SECTION 4	FIRST AID MEASURES		
	[DESCRIPTIONS]:		
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.		
Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position an obtain immediate medical attention. Give nothing by mouth.		
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.		
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.		
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.		
	[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]:		
Overview:	No data available. See Section 2 for further details.		
Eyes:	Causes serious eye irritation.		
	May be harmful in contact with skin. Causes skin irritation.		
SECTION 5	FIRE FIGHTING MEASURES		
Extinguishing Media:	Recommended extinguishing media: alcohol resistant foam, CO ² , powder, water spray. Do not use water jet.		
Special Hazards:	Can be dangerous when exposed to extreme heat and flame. Irritating or toxic substances may be emitted upon thermal decomposition. Thermal decomposition products may include oxides of carbon as well as smoke and fume.		
Advice For Firefighters:	Evacuate area. Prevent contamination from run-off adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed surfaces and personnel. Product emulsifies in water.		
ERG Guide No.			
SECTION 6	ACCIDENTAL RELEASE MEASURES		
ersonal Precautions, Protective Equipment and Emergency Procedures:	Remove sources of ignitions, do not turn lights, or unprotected electrical equipment, on or off. In case of a major spill, or spillage in a confined space, evacuate th area and check that solvent vapor levels are below the Lower Explosive Limit (LEL) before re-entering.		
Environmental Precautions:	Do not allow spills to enter drains or water courses.		
Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13.) Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.		
SECTION 7	HANDLING AND STORAGE		
Precautions For Safe Handling:	Handle containers carefully to prevent damage and spillage. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. U only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Keep away from excessive heat and flame. See Section 2 for further details [PREVENTION].		
Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area away from excessive heat and incompatibles. Store at ambient or lower temperature. Store out of direct sunlight. Keep containers tightly closed and upright when not in use. Protect containers against physical damage. Empty containers may contain toxic, combustible residue and vapors. Do not cut, grind, drill, or weld on or near containers unless precautions are taken against these hazards. [STORAGE].		
Incompatible Materials:	Strong acids. Strong bases. Strong oxidizers.		
Specific End Use(s):	No data available.		
	EXPOSURE CONTROLS/PERSONAL PROTECTION		
SECTION 8			
SECTION 8	Ingredients with established limits for exposure are listed below:		
SECTION 8 Exposure Data:			
	Ingredients with established limits for exposure are listed below:		
	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value		
	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Yalue 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit		
	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value		
Exposure Data:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin]		
Exposure Data:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) TWA: 20 ppm (revised 2003)		
Exposure Data: Exposure Data: 	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Celling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 20 ppm (revised 2003) NIOSH TWA: 20 ppm (24 mg/m3) [skin] TWA: 50 ppm (24 mg/m3) [skin]		
Exposure Data:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA: 50 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC.		
Exposure Data: Exposure Data: Carcinogen Data:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 50 ppm (240 mg/m3 [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. IEXPOSURE CONTROLS]:		
Exposure Data: Exposure Data: Carcinogen Data: Respiratory:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] MIOSH TWA: 20 ppm (revised 2003) NIOSH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.		
Exposure Data: Exposure Data: Carcinogen Data: Respiratory: Eyes:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (revised 2003) NIOSH TWA: 20 ppm (revised 2003) NIOSH This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Wear safety ey-wear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.		
Exposure Data: Exposure Data: Carcinogen Data: Respiratory: Eyes: Skin:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Celling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids. Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.		
Exposure Data: Exposure Data: Carcinogen Data: Respiratory: Eyes:	Ingredients with established limits for exposure are listed below: CAS No. Ingestion Source Value 0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (revised 2003) NIOSH TWA: 20 ppm (revised 2003) NIOSH This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Wear safety ey-wear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.		

		ICAL PROPERTIES	
Appearance:	Clear pale yellow liquid	Upper Flammability Limits:	Upper Explosive Limit: Not measured
Odor:	Sweet	Lower Flammability Limits:	Lower Explosive Limit: Not measured
Odor Threshold:	Not measured	Vapor Pressure (Pa):	Not measured
pH:	7-9	Vapor Density:	Heavier than air
Melting/Freezing Points (°C):	Not measured	Solubility in Water:	Soluble
nitial Boiling Point/Range (°C):	No Established Limit (C) / No Established Limit (F)		
Flash Point:	>80°C / >176°F Seta Closed Cup (SCC)	Auto-Ignition Temperature (°C):	Not measured
Evaporation Rate (Ether=1):	Not measured	Decomposition Temperature:	Not measured
Flammability (Solid, Gas):	Not applicable	Viscosity (cSt):	Not measured
Specific Gravity @ 20°C	1.02-1.04	VOC %:	Not measured
Other Information:	No other relevant information.	Density, g/ml @ 25°C:	Not measured
SECTION 10	STABILITY AND REAC	TIVITY	
Reactivity:	No hazardous reactions under normal handling conditions.		
Chemical Stability:	Stable under normal handling conditions.		
Hazardous Reactions:	Thermal decomposition in the presence of air produces oxide of carbon and nitrogen. Product does not decompose at ambient temperatures. Hazardous polymerization will not occur.		
Conditions To Avoid:	Strong acids. Strong bases. Strong oxidizers. Extreme heat/open flame/sparks and other sources of ignition.		
Incompatible Materials:	Strong acids. Strong bases. Strong oxidizers. Extreme heat/open flame/sparks and other sources of ignition.		
zardous Decomposition Prod.:	Thermal decomposition produces oxide of carbon and nitrogen.		
SECTION 11	TOXICOLOGICAL INFO	ORMATION	
Acute Toxicity:	Ingredients	Oral LD50 mg/kg Skin LD50mg/kg	Inhalation Vapor/Dust/Mist LD50mg/L/4
	Proprietary Blend	4,000 (Rat) / Category 5 >5,000 (Rabbit) / Category NA	No data available
Category:	Item: Acute Toxicity (mouth) / Hazard: Not applicat	ble.	
Category 5:	Item: Acute Toxicity (skin) / Hazard: May be harmful in contact with skin.		
Category:	Item: Acute Toxicity (inhalation) / Hazard: Not applicable.		
Category 2:	Item: Skin Corrosion/Irritation / Hazard: Causes skin irritation.		
Category 2:	Item: Eye Damage/Irritation / Hazard: Causes serie	ous eye irritation.	
Category:	Item: Sensitization (respiratory) / Hazard: Not appl	licable.	
Category:	Item: Sensitization (skin) / Hazard: Not applicable.		
Category:	Item: Germ Toxicity / Hazard: Not applicable.		
Category:	Item: Carcinogenicity / Hazard: Not applicable.		
Category:	Item: Reproductive Toxicity / Hazard: Not applicable.		
Category:	Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable.		
Category:	Item: Specific Target Organ Systemic Toxicity (repeated exposure / Hazard: Not applicable.		
Category:	Item: Aspiration Hazard / Hazard: Not applicable.		
SECTION 12	ECOLOGICAL INFORM	IATION	
Toxicity:	No additional information provided for this product.	. See Section 3 for chemical specific data.	
Aquatic Ecotoxicity:	This product is not expected to be toxic to the aquatic environment.		
Persistence and Degradability:	No data available on this preparation.		
Bioaccumulative Potential:	Bioaccumulation is not expected to be significant.		
Mobility in Soil:	No data available.		
•	This product contains no PBT/vPvB chemicals.		
sults of PBT and vPvB Assess:	This product contains not D 1/41 vD chemicals.		
sults of PBT and vPvB Assess: Other Adverse Effects:	No data available.		

 Waste Treatment Methods:
 Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of

 Waste Treatment Methods:
 Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority,
 whether the special waste regulations apply.

SECTION 14	TRANSPORT INFORMATION		
UN Number:	UN 1993		
UN Proper Shipping Name:	UN 1993 Combustible Liquid, N.O.S. (contains ethylene glycol monobutyl ether)		
Transport Hazard Class(es):	3		
	Not regulated for transport by DOT if quantity is LESS than 119 gallons. The following applies to shipments GREATER than 119 gallons.		
DOT / IMO / IMDG / IATA:	DOT (Domestic Surface Transportation):	IMO/IMDG (Ocean Transportation):	
	DOT Proper Shipping: NA 1993 combustible liquid, N.O.S. (contains ethylene glycol monobutyl ether)	IMDG Proper Shipping Name: NA 1993 combustible liquid, N.O.S. (contains ethylene glycol monobutyl ethe	
	DOT Hazard Class: 3	IMDG Hazard Class: 3	
	DOT Label: 3	Sub Class: Not applicable	
	UN/NA Number: NA 1993	IMDG Packing Group: III	
	DOT Packing Group: III	IATA (Air):	
	CERCLA/DOT RQ: NA gal. / NA lbs.	IATA Proper Shipping Name: NA 1993 combustible liquid, N.O.S. (contains ethylene glycol monobutyl ether	
Special Precautions For User:	Not applicable	IATA Hazard Class: 3	
Transport:	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable		
Environmental Hazards IMDG:	Marine Pollutant: No		
Packing Group:	III		
SECTION 15	REGULATORY INFORMATION		
Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TS (Toxic Substance Control Act) inventory or are not required to be listed on the TSCA inventory.		
WHMIS Classification:	B3 D2B		
US EPA Tier II Hazards:	Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate (acute): Yes / Delayed (chronic): No		
EPCRA 311/312:	Chemicals and RQs (>0.1%): No product ingredients listed		
EPCRA 302:	Extremely Hazardous (>0.1%): No product ingredients listed		
EPCRA 313	Toxic Chemicals (>0.1%): 2-butoxy-ethanol		
Proposition 65	Carcinogens (>0.0%): No product ingredients listed		
Proposition 65:	Developmental Toxins (>0.0%): No product ingredients listed		
Proposition 65:	Female Repro Toxins (>0.0%): No product ingredients listed		
Proposition 65:	Male Repro Toxins (>0.0%): No product ingredients listed		
N.J. RTK Substance (>1%):	2-butoxy-ethanol / 2-methylpentane-2,4-diol		
	2-butoxy-ethanol / 2-methylpentane-2,4-diol		
Penn RTK Substances (>1%):	2-butoxy-ethanol / 2-methylpentane-2,4-diol		

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.